



METALS

CARBON STEEL PICKLING LINES

FROM HOT ROLLED COILS
TO VALUE ADDED PRODUCTS

ANDRITZ

ENGINEERED SUCCESS



Carbon steel and the vast variety of applications

Today, ANDRITZ pickling technology prevails on the world market as a synonym for high productivity, low investment costs, and highest production flexibility. Continuous pickling lines (CPL) in their current design were defined widely and decisively by ANDRITZ Ruthner.

CONTINUOUS PICKLING LINES

As a pioneer in the design and manufacture of polypropylene pickling tanks, ANDRITZ redefined shallow-tank and turbulent pickling. Many years of experience worldwide in revamping, processing, and full turnkey supply of continuous pickling lines – also as a part of pickling line and tandem cold mills (PLTCM) – form the basis of our customers' satisfaction, which is our top priority. The optimized pickling process with individual circulation and heating system ensures minimized consumption of utilities, while the result is always a scale-free strip surface.

Our continuous pickling lines (CPL) are designed for strip gauges from 0.8 mm to 6.5 mm and strip widths of up to 2,100 mm in different steel grades. Our lines for carbon steel serve capacities of over 2,000,000 t/year and pickling speeds of up to 400 meters/minute.

PUSH PICKLING LINES

Push pickling lines were developed and introduced to the industry by ANDRITZ Ruthner in 1965. Since then, ANDRITZ Metals has built more push pickling lines worldwide than any other supplier.

The advantage of the push pickling line (PPL) is its high flexibility combined with high productivity at low investment costs. Cost-intensive equipment, like welding

machines, loopers, and bridle rolls, is not required. The shallow pickling tank design ensures high turbulence and reduced pickling time.

ANDRITZ Metals push-pickling lines are capable of processing strip thicknesses from 0.8 mm to 16 mm and strip widths of up to 2,100 mm, with different steel grades and dimensions, coil by coil, and in direct succession. We have supplied lines for carbon steel with a maximum capacity of up to 1,200,000 t/year. The optimized pickling process, with individual circulation and heating system, ensures minimized consumption of utilities, while delivering a fully pickled and defect-free strip surface.

With the installation of a new push pickling line for stainless steel, ANDRITZ Metals has broken new ground. Its main features include four shot blasting machines, two brush scrub machines, and polypropylene pickling tanks. Many years of experience in design, manufacture, and commissioning demonstrate our expertise in supplying customized turnkey solutions.

DECADES OF EXPERIENCE

The concepts and technology from decades of experience, and the specific needs in the different application fields drive us to new ideas and specialized solutions. Together as partners we want to condition, treat, and shape the material to its best.



References

STEEL PRODUCER, CHINA

Continuous pickling line

Plant facts

Capacity	1,200,000 t/year
Strip thickness	0.6–6.0 mm
Strip width	900–1,600 mm
Entry section speed	700 m/min, max.
Process section speed	400 m/min, max.
Exit section speed	650 m/min, max.
Steel grades	SPHC, SPHD, SPHE, HSLA, DP
Scope of supply	Skin pass mill, tension leveler, turret-type side trimmer, general planning, commissioning, and start-up

STEEL PRODUCER, NORTH AMERICA

Push pickling line

Plant facts

Capacity	1,200,000 t/year
Strip thickness	1.5–9.5 mm
Strip width	900–1,650 mm
Operation speed	200 m/min, max.
Steel grades	Low-carbon steel, electrical steel, HSLA, AHSS
Scope of supply	Mechanical, process, electrical and automation equipment, multi-roll leveler, skin pass mill, turret-type side trimmer, general planning

CUSTOMER BENEFITS

- Mechanical, process, electrical, and automation equipment—all services provided from a single source
- High-turbulence Venturi pickling
- Compact rinse based on intensive research
- Modular arrangement
- Improved development and design provide long equipment life
- Vast know-how and continuous further developments make ANDRITZ the leading supplier of HCl pickling technology.





ANDRITZ - YOUR PARTNER

We appreciate to walk down the supply chain with you to value added products. Continuous, push or multi-purpose pickling lines - we have the right technology for your needs.

EUROPE

ANDRITZ AG
p: +43 50805 0
metals.at@andritz.com

ANDRITZ Sundwig GmbH
p: +49 2372 54 0
sundwig_welcome@andritz.com

ANDRITZ Selas S.A.S.
p: +33 1 4080 34 00
welcome.selas@andritz.com

ASIA

ANDRITZ Technologies Pvt. Ltd.
p: +91 80 4666 9600
atech@andritz.com

ANDRITZ Technologies Pvt. Ltd.
p: +91 33 23232165/66
atech@andritz.com

CHINA

ANDRITZ (China) Ltd. Shanghai
p: +86 21 3108 9388
andritz.shanghai@andritz.com

ANDRITZ AG Beijing
p: +86 10 8526 2720
andritz.cn@andritz.com

ANDRITZ.COM

ANDRITZ

All data, information, statements, photographs and graphic illustrations in this leaflet are without any obligation and raise no liabilities to or form part of any sales contracts of ANDRITZ AG or any affiliates for equipment and/or systems referred to herein. © ANDRITZ AG 2018. All rights reserved. No part of this copyrighted work may be reproduced, modified or distributed in any form or by any means, or stored in any database or retrieval system, without the prior written permission of ANDRITZ AG or its affiliates. Any such unauthorized use for any purpose is a violation of the relevant copyright laws. ANDRITZ AG, Stattegger Strasse 18, 8045 Graz, Austria. ME-CS_pickling 1.1/06.2018 EN

