

High quality coating for increased performance

The ANDRITZ drum coaters, type SCOT and SRFC, both enable high quality surface coating of dietary and palatability liquids to support nutritional requirements and feed conversion.

DRUM COATER

The ANDRITZ drum coater applies oils, fats and other nutrient additives to pellets and extruded feed by spraying the surface of the finished pellets, making them more palatable, improving feed conversion ratios, and ultimately growth rates. This specialized coating technology offers controlled atomization and precise volume control for achieving different feed formulations to meet a variety of nutritional needs.

SCOT Drum Coater




MAIN FEATURES


- Oil addition ranging from 1% to 7%
- · Oil addition volume can be controlled in real-time
- The SCOT Series coater is a heat reservation device with a drum housing and oil spraying pipes that are workable for low temperature environments.
- The SRFC Series coater uses easy to maintain; negative pressure blow pipe nozzles, located in the front of the drum, to reduce leakage of oil mist.

SRFC Drum Coater





Pellets continuously enter the slanting drum 2 via the inlet 1. Incoming pellets are rolling as the drum turns, thus forming a wave of pellets at the inner wall. Each particle makes contact with the spray mist from the nozzles 3 when it's falling over. Pellets contact spray mist to its maximal extent as they roll towards the outlet 4 so as to be fully soaked by liquids.



DIMENSION SIZE

Model	Н	Α	В	h	α
SCOT15	2850	2970	1700	1290	
SCOT25	3150	3900	1950	1540	
SRFC10	2910	5080	1710		5°
SRFC20	3130	6380	1790		5°

TECHNICAL DATA

Model	Main motor power kW	Weigh Kg	Capacity(T) DENSITY = 0.35
SCOT15	1.10	1050.00	7-8
SCOT25	2.20	1780.00	11-13
SRFC10	3.00	3500.00	8-10
SRFC20	5.50	4500.00	15-20



GLOBAL SUPPLIER - LOCAL PRESENCE

With sales, service, engineering, manufacturing and production sites located all around the world, ANDRITZ Feed and Biofuel is truly a global organization with a local presence. ANDRITZ is vital to ensuring a reliable global supply of aqua feed, animal feed, pet food, and biofuel. With full process lines accounting for half the world's production of aqua feed and biomass alone, we continuously support leading producers in achieving the highest levels in safety, quality, and control from feedstock to final product.

How can we help grow your business?

ANDRITZ Feed and Biofuel A/S

Glentevej 5–7 6705 Esbjerg, Denmark p: +45 72 160 300 andritz-fb.dk@andritz.com

ANDRITZ (Shanghai) Equipment & Engineering Co., LTD

No.2288, Rongle East Road, Songjiang, 201613, Shanghai, P.R.China p: +86 21 57745781 andritz-fb.cn@andritz.com

AUSTRALIA

p: +61 3 8773 4888 andritz-fb.au@andritz.com

BANGLADESH

p: +88 (02) 9844800 andritz-fb.bd@andritz.com

BRAZIL

p: +55 47 3387 9146 andritz-fb.br@andritz.com

CANADA

p: +1 519 676 7057 anbosales@andritz.com

CHILE

p: +56 2 24624608 andritz-fb.cl@andritz.com

CHINA

p: +86 21 5774 5781 andritz-fb.cn@andritz.com

COLOMBIA

p: +57 (1) 744 8200 andritz-fb.co@andritz.com

DUBAI

p: +971 4 299 5555 andritz-fb.uae@andritz.com

FRANCE

p: +33 24 75 06 364 andritz-fb.fr@andritz.com

GERMANY

p: +49 2104 9197 0 andritz-fb.de@andritz.com

INDIA

p: +91 87544 15287 andritz-fb.india@andritz.com

ITALY

p: +39 (0445) 575 695 andritz-fb.it@andritz.com

MEXICO

p: +52 443 323 1530 ext 364 andritz-fb.mx@andritz.com

NETHERLANDS

p: +31 40 2627777 andritz-fb.nl@andritz.com

POLAND

p: +48 60 906 1037 andritz-fb.pl@andritz.com

SOUTH AFRICA

p: +27 82 781 0808 andritz-fb.za@andritz.com

TURKEY

p: +90 232 570 38 00 andritz-fb.tr@andritz.com

UK

p: +44 1482 825119 andritz-fb.uk@andritz.com

USΔ

p: +1 570 546 1253 andritz-fb.us@andritz.com

VIETNAM

p: +84 8 6253 9434 andritz-fb.vi@andritz.com

ANDRITZ.COM/FT





