



A  
ndritz  
PUMPS

The background of the advertisement features a complex arrangement of industrial components, including pipes, valves, and mechanical parts, rendered in a stylized, geometric color palette of blue, yellow, and grey.

**PUMPS**

# **HIGHEST EFFICIENCIES FOR VARIOUS INDUSTRIAL APPLICATIONS**

**CENTRIFUGAL PUMP, ACP SERIES**

**ANDRITZ**

# ANDRITZ Pumps for your industry



Water



Pulp and paper



Power



General industries

**ANDRITZ specializes in the development and manufacturing of high-quality pumps, offering a comprehensive range from standardized products to tailor-made solutions across various industries. Our pumps have achieved global success in diverse applications, including municipal drinking water supply, wastewater disposal, industrial water distribution, and significant infrastructure projects such as irrigation, seawater desalination, and water transmission.**

**In flood control, irrigation, and water transport, ANDRITZ not only provides the largest and most powerful pumps, but also complete systems and pumping stations. As a prominent supplier to the pulp and paper industry, we leverage strong process expertise to deliver pump solutions that enhance process stability and energy efficiency.**

**Our product portfolio encompasses a full range of robust process pumps and innovative medium-consistency pumps with an advanced system to avoid fiber losses. Notably, our double-suction headbox pumps boast efficiency levels of up to 93% and low-pulsation impellers, crafted with innovative methods. They thus provide the best performance in the paper manufacturing process.**

**In line with our commitment to sustainability, ANDRITZ offers reliable small hydroelectric power plants and pumps utilized as turbines for private, municipal, industrial, and commercial applications. Our diverse range ensures economically and ecologically sustainable energy production. Specializing in hydroelectric storage, our pumps cover a wide range from high heads to high flows, showcasing our engineering competence.**

**Our pump series, distinguished by modern and robust designs, high efficiency levels, and sustainability features, find applications in various demanding industries, including sugar and starch, lysine, bioethanol, hydrogen, fertilizer, mining, offshore, and general process industries.**

**Additionally, ANDRITZ provides IIOT-enabled premium pump technology for enhanced process monitoring, thus reflecting our commitment to cutting-edge solutions.**

# Premium pumping technology

For over 170 years, ANDRITZ has been a byword for competence and innovation in designing centrifugal pumps. Our end-suction centrifugal pumps are operating in various industrial applications successfully all over the world. They offer robustness and wear resistance, and fulfill highest customer expectations in terms of efficiency, life cycle, maintenance friendliness, and economic efficiency. The high standard of ANDRITZ centrifugal pumps is based on decades of experience in designing hydraulic machines and on extensive know-how. Our goals at ANDRITZ are to provide first-class products and service to secure sustained customer satisfaction.

## ANDRITZ SINGLE-STAGE CENTRIFUGAL PUMPS, ACP SERIES

With advanced hydraulics and versatile impeller options, the ACP series delivers dependable efficiency across diverse applications. Its low axial thrust and optimized flow channels ensure smooth, stable operation while handling slightly contaminated media, as well as media containing solids, up to 8% consistency. Thus, operating as processes pumps, they cover a wide range of applications in the pulp and paper, mining, off-

shore, power, food, and chemical industry. Additionally, ANDRITZ single-stage centrifugal pumps can also be used in water supply, waste water treatment, desalination plants, and irrigation as well as drainage. A modular system ensures high availability, enables the use of proven components and reduces the number of spare parts to be held in stock. ANDRITZ centrifugal pumps from the ACP series can be delivered with and for an Industrial Internet of Things upward integratable base.

## FIELDS OF APPLICATION

- Pulp and paper industry
- Water and waste water management
- Mining industry
- Offshore industry
- Power industry
- Food industry (e.g. sugar, starch, tomato juice)
- Bioethanol
- Chemical industry

## PRODUCT FACTS\*:


- Flow rates up to 9.000 m<sup>3</sup>/h
- Heads up to 190 m
- Temperatures up to 180°C
- Consistencies up to 8%
- Efficiency up to 91%
- Pressure up to 40 bar

\*These values are guidelines and may differ depending on project requirements



# Single-stage centrifugal pump


## ACP series



### MATERIAL COMBINATIONS

ACP SERIES	GREY CAST IRON	DUPLEX STAINLESS STEEL	STAINLESS STEEL	SUPER DUPLEX STAINLESS STEEL	ABRASION RESISTANT CAST IRON
Impeller		■		■	■
Casing/casing cover	■	■		■	■
Bearing housing	■				
Front lining		■		■	■
Stuffing box body	■	■		■	■
Shaft	■		■		

Material	European standard		US standard	
	Number	Name	Grade	UNS
Grey cast iron	5.1301	EN-GJL-250	ASTM A48 Class No. 25 B	F10007
Duplex stainless steel	1.4474	GX4CrNiMoN26-5-2	ASTM A890 Grade 3A	J93371
Duplex stainless steel	1.4462	X2CrNiMoN22-5-3	ASTM A789 Grade S32205	S32205
Stainless steel	1.4021	X20Cr13	ASTM A276 Type 420	S42000
Super duplex stainless steel	1.4517M	GX2CrNiMoCuN26-6-3-3	ASTM A890 Grade 1B	J93372
Super duplex stainless steel	1.4469	GX2CrNiMoN26-7-4	ASTM A890 Grade 5A	S32615
Abrasion resistant cast iron	5.5610	EN-GJN-HB555 (XCr23)	ASTM A532 III A level 1	-



#### 1 BEARING SUPPORT

- Single casting with integrated lantern
- Only seven bearing support sizes for the entire series

#### 2 SHAFT

- Ensures minimum shaft deflection and low mechanical vibration

#### 3 TOUGH BEARINGS

- Long service life

#### 4 SHAFT SEALING

- Single mechanical seal
- Double mechanical seal
- Dynamic seal

#### 5 IMPELLER DESIGN

- Open, semi-open or closed
- For fluids with high shear forces
- Low pulsation

#### 6 WEAR LINING

- Pump casing protection

# Single-stage centrifugal pump with internal and external vacuum pump, ACP-SI and ACP-SE series

In addition to the conventional ACP series, the two pump types ACP-SI and ACP-SE have the function of self-priming and degassing. The ACP-SI is equipped with an internal and the ACP-SE with an external vacuum system. Both pump types are available with a semi-open impeller design and are equipped with a separator. Through the separator the gas enters the vacuum system and is conveyed in the process. Thanks to their low axial thrust and open channels, these pumps are suitable for pumping a wide variety of media. They can handle media up to 8% consistency and gas up to 12%.

Among others, the process pumps therefore cover a wide range of applications in the pulp and paper, water and waste water management. Thanks to the modular system of the ACP series, an upgrade to an ACP-SI or ACP-SE can be done at any time without major modifications.

## FIELDS OF APPLICATION

- Pulp and paper industry
- Water and waste water management
- Power industry
- Food industry (e.g. sugar and starch)
- Other industries



Single-Stage centrifugal pump with internal vacuum pump, ACP-SI series




Single-Stage centrifugal pump with external vacuum pump, ACP-SE series

The ACP-SI is equipped with an internal degassing system and is suitable for media with consistencies up to 8% and increased gas content up to 8%. The degassing system consists of a separator, that separates the gas from the medium. In addition, an internal liquid vacuum pump is mounted on the shaft with the impeller. The strength of the vacuum is controlled via a vacuum relieve valve. This enables ideal gas separation with no loss of medium.

## PRODUCT FEATURES\*

- Flow rates up to 9.000 m<sup>3</sup>/h
- Heads up to 190 m
- Temperatures up to 100°C
- Consistencies up to 8%
- Gas content up to 8%
- Suction height up to 8 m
- Efficiency up to 89%
- Pressure up to 25 bar

\*These values are guidelines and may differ depending on project requirements.




ACP-SI series

The ACP-SE is equipped with an external vacuum pump and is suitable for media with consistencies up to 8% and increased gas content up to 12%. The degassing system in the pump consists of a separator that separates the gas from the medium and an external liquid ring vacuum pump placed next to the process pump. A double mechanical seal effectively ensures the sealing of the system in the pump from the atmosphere. The strength of the vacuum is adjusted via vacuum relieve valve, making gas separation possible without loss of medium. Afterwards the gas gets removed by the water separator, which separates the sealing water from the mechanical seal and the liquid ring vacuum pump from the gas.

## PRODUCT FEATURES\*

- Flow rates up to 9.000 m<sup>3</sup>/h
- Heads up to 190 m
- Temperatures up to 100°C
- Consistencies up to 8%
- Gas content up to 12%
- Suction height up to 8 m
- Efficiency up to 89%
- Pressure up to 25 bar


\*These values are guidelines and may differ depending on project requirements.



ACP-SE series

**BASEFRAME OPTIONS**

## T-Baseframe



The T-Baseframe enables solid installation of pumps and motors.


**T-BASEFRAME**

- With the flexible sliding rail system, the motor can be aligned easily horizontally and vertically.
- The T-Baseframe and the sliding rail system are available in galvanized or painted version.
- The sliding rails allow the mounting of the next bigger motor type on the T-Baseframe, if more motor power is required.

## SSG-Baseframe



The SSG-Baseframe is designed for low vibrations regarding the SSG 3030 standard, with its rigid design and optimized goruting.

**SSG-BASEFRAME**

- Rigid riser blocks provide a mix of an easy motor alignment as well as the minimization of transmitted vibrations.
- The riser blocks allow the mounting of the next bigger motor type on the SSG Baseframe, if more motor power is required.

# Single-stage centrifugal centerline pump

Next to our standard and self-priming centrifugal pumps, the ACP is available in a centerline supported design.

The ACP centerline pumps are extremely versatile and perfect for a wide range of high-temperature applications. They have been specially developed to with-

stand temperatures of up to 180°C and are designed in pressure class PN25. Higher pressure classes can be realized on request.



# Greater efficiency for a competitive edge

## RESEARCH AND DEVELOPMENT

Continuously increasing demands by customers in our operating industries emphasize the significance of R&D in the constant optimization of products and services. Today, efficiency, flexibility, and reliability over an extended lifetime are the major challenges of the market. Our commitment to research and development forms the basis for our advances in hydraulic machine manufacturing. With Pump Technology Center (PTC) ASTROE, center for hydraulic engineering and laboratory, we have an internationally renowned institute for hydraulic development work at our disposal. We are developing and testing our pumps at different locations worldwide. Our test stands are among the most accurate in the world. By networking these research and development centers, we provide a continuous transfer of know-how within the ANDRITZ GROUP for the benefit of our customers. The main tools for R&D are numerical simulation

methods as well as experimental measurements in the laboratory and on site. State-of-the-art equipment, highly precise measuring instruments as well as the latest simulation technologies, and powerful software form the basis of the high technical quality of the pumps and turbines from ANDRITZ.



## AN OVERVIEW OF OUR SERVICES

- Supply of original spare parts
- Deployment of trained personnel
- Installation and start-up
- Inspection
- Repairs, overhauls, maintenance
- Machine assessment by an expert for early fault detection
- Consulting and modernization
- Performance and vibration measurement
- Fault and damage analyses
- Feasibility studies
- Energy consulting for pumps and systems
- Preparation of maintenance schedules
- Service and maintenance agreements
- Automation and Electrical Power Systems
- Electronic equipment
- Training



## INNOVATION SINCE 1852

The internationally renowned ANDRITZ GROUP has been building pumps for more than 170 years. We offer innovative and targeted solutions with pumps and complete pumping stations. Our longstanding experience in hydraulic machine manufacturing and complete process know-how form the basis of the high standard of ANDRITZ pump engineering. Our quality and high-efficiency products as well as our understanding of customer requirements have made us a preferred partner for pumping solutions worldwide. ANDRITZ offers everything from a single source – from development work, model tests, engineering design, manufacture and project management, to after-sales service and training. We also perform complete start-up on site and guarantee our customers the best support. Our declared goal is your complete satisfaction. See for yourself!

### EUROPE

ANDRITZ AG  
Stattegger Strasse 18  
8045 Graz, Austria  
p: +43 316 6902-2509  
f: +43 316 6902-413  
pumps@andritz.com

ANDRITZ Pumps Germany GmbH  
Marie-Curie-Straße 19  
73529 Schwäbisch Gmünd,  
Germany  
p: +49 7171 609-0  
f: +49 7171 609-287  
ritz@andritz.com

ANDRITZ Hydro SRL  
Polígono Industrial La Garza 2  
Carretera de Algete M-106, Km. 2  
28110 Algete  
Spain  
p: +34 91 6636 409  
f: +34 91 425 1001  
bombas.es@andritz.com

### SOUTH AMERICA

ANDRITZ HYDRO  
Alameda Tocantins 350, 12º andar  
06455-020, Barueri, SP - Brasil  
p: +55 11 4133-0000  
f: +55 11 4133-0037  
bombas.br@andritz.com

### NORTH AMERICA

ANDRITZ Inc.  
5405 Windward Parkway, Suite 100W  
Alpharetta Georgia 30004-3894  
United States of America  
p: +1 770 640-2500  
f: +1 770 640-9454  
pumps.us@andritz.com

### ASIA

ANDRITZ (CHINA) LTD.  
No.83 B Zone, Leping Central Technology & Industry Park, Sanshui District, Foshan 528137, Guangdong, P.R.China  
p: +86 0757 6663-3102  
atc\_pumps@andritz.com

### ANDRITZ Technologies Pvt. Ltd.

S.No. 389, 400/2A & 400/2C,  
Padur Road, Kuthambakkam  
Village, Poonamallee Talluk,  
Thiruvallur District –  
600124, Chennai, India  
p: +91 44 4399-1111  
pump.in@andritz.com

### ANDRITZ FZCO

Building 6WA – Office No. 329  
54522 Dubai, United Arab Emirates  
p: +971 506 069 884  
dubai@andritz.com

[ANDRITZ.COM/PUMPS](http://ANDRITZ.COM/PUMPS)

**ANDRITZ**

All data, information, statements, photographs and graphic illustrations in this leaflet are without any obligation and raise no liabilities to or form part of any sales contracts of ANDRITZ AG or any affiliates for equipment and/or systems referred to herein. © ANDRITZ AG 2024. All rights reserved. No part of this copyrighted work may be reproduced, modified or distributed in any form or by any means, or stored in any database or retrieval system, without the prior written permission of ANDRITZ AG or its affiliates. Any such unauthorized use for any purpose is a violation of the relevant copyright laws. ANDRITZ AG, Stattegger Strasse 18, 8045 Graz, Austria.

