


AhlCleaner TC133

Efficient removal of small debris



AhlCleaner TC133

Efficient removal of small debris

The ANDRITZ AhlCleaner TC133 is highly efficient in removing small impurities from stock. It combines two independently operating cleaners with common feed and accept chambers.

The TC133 has low power consumption due to the low-pressure drop design. Pressurized rejection of impurities prevents air from entering the accept and reject flows. Fiber losses in the cleaning operation can be

reduced by using specially designed cones in latter stages of cleaning.


Durable plastic or ceramic cones are resistant to high temperatures and chemicals, and also ensure high wear resistance. The headers are made of stainless steel. The directions of feed and accept connections can be selected according to requirements. The TC133 cleaners require minimal space due to modular and compact design.

Two separate cleaner stages can be installed in the same header. The operation of an individual cleaner can be monitored through the sight glass. A wear indicator warns of excessive wear in a cleaner cone. A patented device unplugs the cleaner during operation.


No special tools are required to install the cleaners and wear parts can be replaced quick and easy.

Benefits

- Durable plastic and ceramic cones
- Directions of feed and accept connections can be selected as required
- Minimum space requirements
- Easy to install, operate and maintain



No. of cleaners (single stage)	1	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34	36
Height [mm]	775	825	1,055	1,280	1,490	1,700	1,925	2,135	2,355	2,565	2,775	2,995	3,205	3,430	3,640	3,850	4,060	4,270	4,480
Width [mm]	430	700	680	680	680	680	680	680	830	830	830	830	830	830	830	830	830	830	830
Length [mm]	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550	2,550
No. of cleaners (two stage)	4+2	6+2	6+4	8+2	8+4	10+2	10+4	12+4	12+6	14+4	14+6								
Height [mm]	1,280	1,640	1,690	1,850	1,900	2,060	2,110	2,480	2,640	2,690	2,750								
Width [mm]	680	680	680	680	680	680	680	680	680	680	680								
Length [mm]	2,770	2,770	2,770	2,770	2,770	2,770	2,770	2,770	2,770	2,770	2,770								



All data subject to change.

ANDRITZ AG

Vienna, Austria
Phone: +43 50805 0

ANDRITZ Oy

Kotka, Finland
Phone: +358 (20) 450 5555

ANDRITZ (China) Ltd.

Foshan, Guangdong, China
Phone: +86 (757) 8202 7602

ANDRITZ K.K.

Tokyo, Japan
Phone: +81 (3) 3536 9700

ANDRITZ Ltd.

Lachine, QC, Canada
Phone: +1 (514) 631 7700

ANDRITZ Brasil Ltda.

Curitiba, Brazil
Phone: +55 (41) 2103 7601

ANDRITZ AG

Stattegger Strasse 18
8045 Graz, Austria
Phone: +43 316 6902 0
fiber.prep@andritz.com
www.andritz.com